

主な橋梁補修事業(道路橋・横断歩道橋)

2025年度に実施予定の橋梁事業

橋梁名	①構造物の諸元				②直近点検結果 次回点検年度				④対策の着手・完了予定年度 設計及び対策の凡例【◆:設計 ○:修繕 ◎:更新 ×:撤去】 点検の凡例【●:一般、▲:跨線部・高速道路上等】		
	架設 年度	橋長	幅員	橋梁 形式	点検結果			次回 点検 年度	R7		
					年度	診断 区分 (市)	診断 区分 (国)		設計	対策	点 検
山王橋	1973	10.21	8.37	PC	R2	I	I	R7			●
山王橋(側道橋)	1973	10.05	2.17	鋼	R5	Ⅲa	Ⅲ	R10		○	
中陰橋	1992	8.70	8.70	RC	R2	Ⅱc	Ⅱ	R7			●
染屋河原橋	1988	9.60	10.53	PC	R2	Ⅱa	Ⅱ	R7			●
上陰橋	1990	7.70	9.00	RC	R2	I	I	R7			●
大師橋	1925	7.60	5.80	RC	R2	I	I	R7			●
幣添東橋	1970	8.56	2.90	鋼	R2	Ⅱb	Ⅱ	R7			●
戸牧橋	1970	8.70	6.85	RC	R2	Ⅱb	Ⅱ	R7			●
女代橋	1985	7.10	53.60	RC	R2	Ⅱa	Ⅱ	R7			●
城南橋	1970	8.60	6.80	PC	R2	Ⅱa	Ⅱ	R7			●
八代橋	1994	12.73	3.70	PC	R2	Ⅱa	Ⅱ	R7			●
第2八代橋	1995	7.00	7.00	RC	R2	Ⅱa	Ⅱ	R7			●
江下橋	2000	7.30	22.00	PC	R2	Ⅱa	Ⅱ	R7			●
栄橋	1999	11.20	4.90	PC	R2	Ⅱa	Ⅱ	R7			●
宮ノ下橋	1990	11.80	15.30	RC	R2	Ⅱa	Ⅱ	R7			●
前田橋	1990	10.35	2.08	鋼	R2	I	I	R7			●
学校横橋	2011	10.45	8.25	PC	R2	Ⅱa	Ⅱ	R7			●
金剛寺橋	1970	9.70	5.10	RC	R2	Ⅱa	Ⅱ	R7			●
畑谷中橋	1975	5.50	10.00	RC	R2	Ⅱa	Ⅱ	R7			●
畑谷口橋	1975	7.00	3.70	RC	R2	I	I	R7			●
船戸1号橋	1990	9.05	3.80	PC	R2	Ⅱb	Ⅱ	R7			●
大手橋	1971	7.80	20.98	RC	R2	Ⅱa	Ⅱ	R7			●
切濱港橋	1992	9.60	7.70	PC	R2	Ⅱb	Ⅱ	R7			●
八崎東橋	1984	8.20	10.45	RC	R2	Ⅱa	Ⅱ	R7			●
堂橋	1994	7.00	5.45	RC	R2	Ⅱa	Ⅱ	R7			●
金尾橋	1940	8.50	4.20	RC	R2	I	I	R7			●
正法寺団地8号橋	1980	9.20	2.90	鋼	R2	Ⅱa	Ⅱ	R7			●
家の上橋	1970	10.40	6.80	鋼	R2	Ⅱc	Ⅱ	R7			●
正法寺橋	1978	12.23	8.80	鋼	R2	Ⅱb	Ⅱ	R7			●
下中橋	1989	8.00	10.60	RC	R2	Ⅱb	Ⅱ	R7			●
川西橋	1992	7.83	5.00	RC	R2	Ⅱa	Ⅱ	R7			●
上前川橋	1987	7.90	6.00	RC	R2	Ⅱb	Ⅱ	R7			●
山照橋	1937	11.10	5.90	RC	R2	Ⅱc	Ⅱ	R7			●
畑野橋	1986	7.20	3.00	鋼	R2	Ⅲa	Ⅲ	R7		○	●
奥橋	1990	7.20	2.40	RC	R2	Ⅱb	Ⅱ	R7			●
センガイ橋	1980	8.65	9.80	鋼	R2	Ⅱb	Ⅱ	R7			●
遠畑橋	1985	7.30	5.50	RC	R2	Ⅱa	Ⅱ	R7			●
中山橋	1990	10.60	8.70	PC	R2	Ⅱa	Ⅱ	R7			●
宮井川橋	1980	10.00	4.60	PC	R2	Ⅱb	Ⅱ	R7			●
弥助橋	1980	7.40	4.00	木材	R2	Ⅱa	Ⅱ	R7			●
神処橋	1965	11.90	2.80	RC	R2	Ⅱa	Ⅱ	R7			●
亀本橋	2000	8.50	2.50	鋼	R2	Ⅱc	Ⅱ	R7			●
辻橋	1965	9.90	4.50	RC	R2	Ⅱa	Ⅱ	R7			●
下畑橋	1975	10.70	3.80	PC	R2	Ⅱb	Ⅱ	R7			●
関宮橋	1975	12.15	7.70	鋼	R2	Ⅱb	Ⅱ	R7			●
札幌橋	1970	10.30	4.55	RC	R2	Ⅱb	Ⅱ	R7			●
河谷橋	1965	6.00	2.80	RC	R3	I	I	R9		○	
瀬戸1号橋	2018	9.61	6.26	PC+RC	R2	Ⅱb	Ⅱ	R7			●
岡ノ下橋	1984	8.50	5.80	RC	R2	Ⅱa	Ⅱ	R7			●
門口橋	2005	14.00	6.20	PC	R2	Ⅱb	Ⅱ	R7			●
向住橋	1968	9.28	5.20	鋼	R2	Ⅱb	Ⅱ	R7			●
岩ヶ下橋	1984	10.20	3.80	鋼	R2	Ⅲa	Ⅲ	R7		○	●
池黒口橋	1965	8.00	3.40	RC	R2	Ⅱb	Ⅱ	R7			●
カチ町橋	1975	11.10	3.14	RC	R2	Ⅲb	Ⅲ	R7			●

主な橋梁補修事業(道路橋・横断歩道橋)

2025年度に実施予定の橋梁事業

橋梁名	①構造物の諸元				②直近点検結果 次回点検年度				④対策の着手・完了予定年度 設計及び対策の凡例【◆:設計 ○:修繕 ◎:更新 ×:撤去】 点検の凡例【●:一般、▲:跨線部・高速道路上等】		
	架設 年度	橋長	幅員	橋梁 形式	点検結果			次回 点検 年度	R7		
					年度	診断 区分 (市)	診断 区分 (国)		設計	対策	点 検
あわら橋	1975	7.23	2.50	RC	R2	Ⅲb	Ⅲ	R7			●
大門橋	1975	11.05	4.70	鋼	R2	Ⅲa	Ⅲ	R7		○	●
大谷橋	1970	12.00	3.70	鋼	R2	Ⅱb	Ⅱ	R7			●
神美台橋	1987	11.40	7.70	PC	R2	Ⅱa	Ⅱ	R7			●
奥野銭上橋	1972	9.15	6.90	RC	R2	Ⅱa	Ⅱ	R7			●
切道橋	1977	4.00	4.60	PC	R2	Ⅱa	Ⅱ	R7			●
西谷橋	1980	4.50	16.60	RC	R2	Ⅱb	Ⅱ	R7			●
氏神橋	1933	11.00	4.50	RC	R5	Ⅲa	Ⅲ	R10	◆		
峠橋	1979	25.50	4.70	鋼	R2	Ⅱa	Ⅱ	R7			●
御又橋	1979	43.00	5.00	PC	R2	Ⅱa	Ⅱ	R7			●
和尚橋	1981	27.50	5.00	PC	R2	Ⅱa	Ⅱ	R7			●
井郷橋	1980	30.00	5.00	PC	R2	Ⅱa	Ⅱ	R7			●
地藏湯橋	1927	10.30	13.50	RC	R2	Ⅱa	Ⅱ	R7			●
辨天橋	1926	11.40	3.90	RC	R2	Ⅱa	Ⅱ	R7			●
桜橋	1990	13.14	4.50	RC	R2	Ⅱc	Ⅱ	R7			●
曼陀羅橋	1926	7.20	6.80	RC	R2	Ⅱa	Ⅱ	R7			●
月見橋	1965	8.70	8.90	RC	R2	Ⅱc	Ⅱ	R7			●
薬師橋	2001	9.90	5.30	PC+RC	R2	Ⅱa	Ⅱ	R7			●
観音浦橋	1985	9.80	6.80	RC	R2	Ⅱa	Ⅱ	R7			●
あきつ橋	2005	24.70	3.30	PC	R2	Ⅱb	Ⅱ	R7			●
来日島橋	1975	13.60	6.00	PC	R2	Ⅱa	Ⅱ	R7			●
ニビ橋	1990	2.50	24.00	RC	R2	Ⅱa	Ⅱ	R7			●
亀ヶ淵橋	1970	8.90	2.57	RC	R2	Ⅱa	Ⅱ	R7			●
小峠橋	1980	11.50	4.70	RC	R2	Ⅱa	Ⅱ	R7			●
正法寺大橋	1971	145.50	9.70	鋼	R4	Ⅲa	Ⅲ	R9		○	
トンボ池橋	1960	10.00	4.40	RC	R2	Ⅱc	Ⅱ	R7			●
田久日川橋	1967	13.68	4.60	PC	R2	Ⅱb	Ⅱ	R7			●
第一兎田橋	1980	8.00	3.90	RC	R2	Ⅱb	Ⅱ	R7			●
須野谷中畦橋	1975	10.30	4.70	RC	R2	Ⅱa	Ⅱ	R7			●
段川2号橋	1960	7.00	7.40	RC	R2	Ⅱb	Ⅱ	R7			●
伊賀谷橋	1970	10.40	4.20	RC	R2	Ⅱa	Ⅱ	R7			●
川南谷橋	1979	7.00	4.30	RC	R2	Ⅱa	Ⅱ	R7			●
桑野本中橋	1962	11.00	3.40	PC	R2	Ⅱb	Ⅱ	R7			●
川崎橋	1975	8.40	3.40	鋼	R2	Ⅱa	Ⅱ	R7			●
峠谷川1号橋	2002	8.20	4.20	RC	R2	Ⅱa	Ⅱ	R7			●
木谷川2号橋	1980	8.70	3.60	鋼	R2	Ⅱa	Ⅱ	R7			●
河谷橋	1960	10.20	3.40	木材	R2	Ⅲa	Ⅲ	R7		○	●
道ヶ谷橋	1976	9.50	4.20	鋼	R2	Ⅱb	Ⅱ	R7			●
大岡山川1号橋	1975	8.80	3.40	RC	R2	Ⅱa	Ⅱ	R7			●
堀橋	1976	12.50	3.66	鋼	R2	Ⅱb	Ⅱ	R7			●
第二兎田橋	1970	8.10	3.60	RC	R2	Ⅱa	Ⅱ	R7			●
ミゼミ川1号橋	1960	10.40	4.10	RC	R2	Ⅱc	Ⅱ	R7			●
一日市橋	2000	15.30	10.25	PC	R2	Ⅱa	Ⅱ	R7			●
法安寺橋	1995	45.00	9.75	鋼	R2	Ⅱa	Ⅱ	R7			●
気比橋	1969	44.80	5.85	鋼	R5	Ⅲb	Ⅲ	R10		○	
亀山2号橋	1970	2.70	10.30	RC	R5	Ⅲa	Ⅲ	R10	◆		
地藏堂橋	1976	12.20	5.70	RC	R2	Ⅱa	Ⅱ	R7			●
丸山1号橋	1980	8.00	6.00	RC	R2	Ⅱa	Ⅱ	R7			●
総持寺橋	1981	10.30	6.55	RC	R2	Ⅱa	Ⅱ	R7			●
上坂橋	1974	9.14	5.50	RC	R2	Ⅱa	Ⅱ	R7			●
神前橋	1936	11.00	4.10	RC	R2	Ⅱa	Ⅱ	R7			●
溶嶺橋	1974	43.70	6.80	鋼	R2	Ⅱb	Ⅱ	R7			●
エノミ2号橋	1976	7.00	4.70	鋼	R2	Ⅱa	Ⅱ	R7			●
榎見第2号橋	1967	8.20	4.80	RC	R2	Ⅱa	Ⅱ	R7			●

主な橋梁補修事業(道路橋・横断歩道橋)

2025年度に実施予定の橋梁事業

橋梁名	①構造物の諸元				②直近点検結果 次回点検年度				④対策の着手・完了予定年度 設計及び対策の凡例【◆:設計 ○:修繕 ◎:更新 ×:撤去] 点検の凡例【●:一般、▲:跨線部・高速道路上等]		
	架設 年度	橋長	幅員	橋梁 形式	点検結果			次回 点検 年度	R7		
					年度	診断 区分 (市)	診断 区分 (国)		設計	対策	点 検
大正言橋	1960	10.80	5.80	PC	R2	Ⅱ b	Ⅱ	R7			●
矢ノ谷橋	1970	7.10	5.55	RC	R2	Ⅱ a	Ⅱ	R7			●
百合清水橋	1970	10.00	2.50	RC	R2	Ⅱ a	Ⅱ	R7			●
宮前口橋	1972	9.80	4.70	鋼	R2	Ⅱ a	Ⅱ	R7			●
大芝橋	1969	8.70	3.70	鋼	R2	Ⅱ b	Ⅱ	R7			●
岩神北橋	1970	9.70	3.10	鋼	R2	Ⅱ b	Ⅱ	R7			●
丸山3号橋	1978	14.20	5.80	PC	R2	Ⅱ a	Ⅱ	R7			●
元荒木橋	1977	14.20	4.80	PC	R2	Ⅱ a	Ⅱ	R7			●
観音寺橋	1979	5.80	4.80	RC	R3	Ⅱ a	Ⅱ	R9		○	
辻堂北橋	1980	7.50	4.50	RC	R2	Ⅱ a	Ⅱ	R7			●
諏訪橋	1978	12.20	4.80	PC	R2	Ⅱ b	Ⅱ	R7			●
松田橋	1996	13.70	6.20	鋼	R2	Ⅱ a	Ⅱ	R7			●
小谷橋	1970	8.60	3.65	RC	R2	Ⅱ a	Ⅱ	R7			●
宮前橋	1980	7.30	3.10	RC	R2	Ⅱ a	Ⅱ	R7			●
岡ヶ花1号橋	1968	8.70	3.40	PC	R2	Ⅲ a	Ⅲ	R7			●
岡ヶ花2号橋	1968	8.70	3.35	PC	R2	Ⅲ a	Ⅲ	R7			●
馬場橋	1980	7.80	5.50	RC	R2	Ⅱ a	Ⅱ	R7			●
芝原橋	1968	9.00	5.00	PC	R2	Ⅱ a	Ⅱ	R7			●
オリト橋	1968	13.65	4.40	鋼	R2	Ⅱ a	Ⅱ	R7			●
石黒橋	1970	9.00	4.40	RC	R2	Ⅱ a	Ⅱ	R7			●
川原橋	1970	10.50	3.80	鋼	R2	Ⅱ b	Ⅱ	R7			●
柳谷橋	1977	15.34	4.80	鋼	R2	Ⅱ a	Ⅱ	R7			●
かなべの里橋	1999	16.58	8.75	PC	R2	Ⅱ a	Ⅱ	R7			●
百合地橋	2005	52.80	8.20	RC	R2	Ⅱ b	Ⅱ	R7			●
中谷橋	1967	39.25	4.60	鋼	R2	Ⅱ c	Ⅱ	R7			●
駄坂橋	1977	41.60	4.80	鋼	R2	Ⅲ a	Ⅲ	R7			●
栃江橋(旧橋)	1933	34.80	4.70	RC	R3	Ⅲ a	Ⅲ	—		×	
すま田橋	1984	32.20	7.00	鋼	R2	Ⅱ b	Ⅱ	R7			●
河谷橋	1971	46.60	4.80	鋼	R2	Ⅱ c	Ⅱ	R7			●
木内上橋	1973	40.00	4.90	鋼	R2	Ⅲ a	Ⅲ	R7			●
七つ橋	1991	27.60	6.20	PC	R2	Ⅱ b	Ⅱ	R7			●
倉見大橋	1992	27.20	5.20	PC	R2	Ⅱ a	Ⅱ	R7			●
苅畑橋	1998	19.10	5.20	PC	R2	Ⅱ a	Ⅱ	R7			●
坂畑橋	1998	21.50	7.70	PC	R2	Ⅱ a	Ⅱ	R7			●
あやめ橋	1972	19.26	12.80	鋼	R2	Ⅱ a	Ⅱ	R7			●
木内橋	1951	38.20	9.57	鋼	R2	Ⅱ c	Ⅱ	R7			●
下前川橋	1988	44.78	9.75	PC	R2	Ⅱ b	Ⅱ	R7			●
神田橋	1966	23.00	6.70	RC	R2	Ⅱ a	Ⅱ	R7			●
赤崎向野橋	2003	16.20	5.20	PC	R2	Ⅱ a	Ⅱ	R7			●
赤崎橋	2002	211.80	9.90	鋼+PC	R2	Ⅱ b	Ⅱ	R7			●
奥神鍋橋	2000	16.75	14.52	PC	R2	Ⅱ a	Ⅱ	R7			●
高来橋	2002	16.10	4.20	PC	R2	Ⅱ a	Ⅱ	R7			●
日和坂橋	1987	20.00	5.00	PC	R2	Ⅱ a	Ⅱ	R7			●
八坂宮橋	1981	15.80	1.60	鋼	R2	Ⅱ c	Ⅱ	R7			●
正新橋	2008	15.40	3.42	鋼	R2	Ⅱ a	Ⅱ	R7			●
佐野一丁田1号橋	1990	6.00	18.00	PC	R2	Ⅱ a	Ⅱ	R7			●
二見橋	2001	113.30	6.00	PC	R2	Ⅱ a	Ⅱ	R7			●
向日置橋	1997	12.60	8.20	PC	R2	Ⅱ a	Ⅱ	R7			●
多田野谷橋	1982	13.70	5.98	PC	R2	Ⅱ a	Ⅱ	R7			●
五反田橋	1965	9.20	5.82	鋼	R2	Ⅱ b	Ⅱ	R7			●
広井大橋	1981	12.47	7.95	鋼	R2	Ⅱ a	Ⅱ	R7			●
棟橋	1980	9.36	10.36	RC	R2	Ⅱ b	Ⅱ	R7			●
万壺川橋	2002	9.05	7.33	鋼	R2	Ⅱ a	Ⅱ	R7			●
熊田橋	1980	7.40	6.60	RC	R2	Ⅱ a	Ⅱ	R7			●

主な橋梁補修事業(道路橋・横断歩道橋)

2025年度に実施予定の橋梁事業

橋梁名	①構造物の諸元				②直近点検結果 次回点検年度				④対策の着手・完了予定年度 設計及び対策の凡例【◆:設計 ○:修繕 ◎:更新 ×:撤去】 点検の凡例【●:一般、▲:跨線部・高速道路上等】		
	架設 年度	橋長	幅員	橋梁 形式	点検結果			次回 点検 年度	R7		
					年度	診断 区分 (市)	診断 区分 (国)		設計	対策	点 検
奥田橋	1966	8.50	5.11	鋼	R2	Ⅱ c	Ⅱ	R7			●
奥山橋	1980	9.00	3.50	RC	R2	Ⅱ a	Ⅱ	R7			●
大谷口1号橋	1975	12.70	7.79	鋼	R2	Ⅱ b	Ⅱ	R7			●
田ノ口橋	1960	9.00	4.70	PC	R2	Ⅱ a	Ⅱ	R7			●
栃本下川橋	1975	7.90	4.20	RC	R2	Ⅱ a	Ⅱ	R7			●
栃本小橋	1990	7.85	6.20	RC	R2	Ⅱ a	Ⅱ	R7			●
落シ橋	1975	8.30	6.30	RC	R2	Ⅱ a	Ⅱ	R7			●
二ツ滝橋	1989	8.00	4.50	RC	R2	Ⅱ c	Ⅱ	R7			●
赤川小橋	1985	17.90	4.00	鋼	R2	Ⅱ a	Ⅱ	R7			●
どんど橋	1975	8.97	4.63	鋼	R2	Ⅱ a	Ⅱ	R7			●
釜ヶ原橋	1980	8.80	2.28	鋼	R2	Ⅱ b	Ⅱ	R7			●
岡畑橋	1938	9.00	5.60	RC	R2	Ⅱ a	Ⅱ	R7			●
光顕寺橋	1994	14.10	6.50	PC	R2	Ⅱ a	Ⅱ	R7			●
城後橋	1970	9.00	1.90	鋼	R2	Ⅱ c	Ⅱ	R7			●
小河江橋	1975	6.48	2.30	RC	R2	Ⅱ a	Ⅱ	R7			●
障子田橋	1975	10.30	3.00	鋼	R2	Ⅱ a	Ⅱ	R7			●
井東橋	1978	11.30	1.90	鋼	R2	Ⅱ a	Ⅱ	R7			●
奈佐路公民館前橋	2006	9.50	4.60	PC	R2	Ⅱ b	Ⅱ	R7			●
久田谷川橋	1978	10.57	9.00	PC	R2	Ⅱ b	Ⅱ	R7			●
栗ノ下橋	1975	9.00	3.50	RC	R2	Ⅱ a	Ⅱ	R7			●
稲岡橋	1985	10.40	4.81	鋼	R2	Ⅱ c	Ⅱ	R7			●
城山橋	1969	14.40	4.20	鋼	R2	Ⅱ a	Ⅱ	R7			●
城山公園橋	2010	56.20	4.20	PC	R2	Ⅱ b	Ⅱ	R7			●
河原中4号橋	1971	12.90	5.70	PC	R2	Ⅱ a	Ⅱ	R7			●
河原中1号橋	1989	10.22	5.00	RC	R2	Ⅱ a	Ⅱ	R7			●
明谷2号橋	1983	13.50	4.00	PC	R2	Ⅱ b	Ⅱ	R7			●
櫛谷橋	1964	12.10	3.50	RC	R2	Ⅱ a	Ⅱ	R7			●
観音寺旧橋	1970	12.90	3.00	木材	R2	Ⅲa	Ⅲ	R7	○		●
観音寺大橋	1962	16.70	4.70	RC	R2	Ⅱ b	Ⅱ	R7			●
立山橋	1965	13.10	4.00	RC	R2	Ⅱ b	Ⅱ	R7			●
河畑橋	2014	12.80	3.62	鋼	R2	Ⅱ a	Ⅱ	R7			●
大休橋	1974	14.10	6.04	鋼	R2	Ⅱ b	Ⅱ	R7			●
上橋	1975	8.50	7.30	RC	R2	Ⅱ b	Ⅱ	R7			●
小山橋	2002	14.10	5.21	PC	R2	Ⅱ a	Ⅱ	R7			●
横縄手橋	1975	7.00	2.80	RC	R2	Ⅱ a	Ⅱ	R7			●
みやの森橋	1997	10.85	9.05	PC	R2	Ⅱ a	Ⅱ	R7			●
頃垣橋	1975	7.00	4.68	RC	R2	Ⅱ b	Ⅱ	R7			●
地藏橋	1970	8.50	4.60	RC	R2	Ⅱ b	Ⅱ	R7			●
大橋	1974	14.00	8.20	PC	R2	Ⅱ c	Ⅱ	R7			●
岡中橋	1968	7.00	4.30	RC	R2	Ⅱ a	Ⅱ	R7			●
長外橋	1974	14.00	5.10	鋼	R2	Ⅱ a	Ⅱ	R7			●
井上橋	1980	8.50	4.00	鋼	R2	Ⅲa	Ⅲ	R7	○		●
寺下橋	1960	7.30	4.20	木材	R2	Ⅱ a	Ⅱ	R7			●
第一今在家橋	1990	13.00	4.80	PC	R2	Ⅱ b	Ⅱ	R7			●
焼堂橋	1970	8.30	5.00	PC	R2	Ⅱ c	Ⅱ	R7			●
宮ノ上橋	1975	7.00	3.70	RC	R2	Ⅱ a	Ⅱ	R7			●
西谷大橋	1965	10.70	5.60	鋼	R2	Ⅱ a	Ⅱ	R7			●
福延橋	1959	7.90	5.40	鋼+RC	R2	Ⅱ b	Ⅱ	R7			●
焼うろ橋	1967	5.50	4.00	木材	R2	Ⅲa	Ⅲ	R7	○		●
千原橋	2005	10.00	2.30	鋼	R2	Ⅱ a	Ⅱ	R7			●
フロヤ橋	1975	10.00	3.40	鋼	R2	Ⅱ b	Ⅱ	R7			●
下前原橋	1996	11.00	5.20	PC	R2	Ⅱ a	Ⅱ	R7			●
殿貝橋	1996	10.90	5.20	PC	R2	Ⅱ c	Ⅱ	R7			●
寺橋	1973	9.44	3.80	PC	R2	Ⅲa	Ⅲ	R7			●

主な橋梁補修事業(道路橋・横断歩道橋)

2025年度に実施予定の橋梁事業

橋梁名	①構造物の諸元				②直近点検結果 次回点検年度				④対策の着手・完了予定年度 設計及び対策の凡例 [◆:設計 ○:修繕 ◎:更新 ×:撤去] 点検の凡例 [●:一般、▲:跨線部・高速道路上等]		
	架設 年度	橋長	幅員	橋梁 形式	点検結果			次回 点検 年度	R7		
					年度	診断 区分 (市)	診断 区分 (国)		設計	対策	点 検
鍛冶屋橋	1972	9.90	4.60	PC	R2	Ⅱ a	Ⅱ	R7			●
向田橋	1984	10.00	3.40	鋼	R2	Ⅱ b	Ⅱ	R7			●
宮の上橋	1969	10.40	6.80	RC	R2	Ⅱ a	Ⅱ	R7			●
金屋橋	1974	10.50	4.80	PC	R2	Ⅱ a	Ⅱ	R7			●
友長橋	1970	9.10	4.80	PC	R2	Ⅱ a	Ⅱ	R7			●
1号作山橋	2006	8.50	6.20	PC	R2	Ⅱ a	Ⅱ	R7			●
坂津口橋	1970	13.90	7.10	RC	R2	Ⅱ b	Ⅱ	R7			●
土橋	1987	7.60	4.00	鋼	R2	Ⅱ a	Ⅱ	R7			●
堂本橋	1933	11.00	5.00	PC	R2	Ⅱ a	Ⅱ	R7			●
藤田橋	2008	16.80	5.20	PC	R2	Ⅱ a	Ⅱ	R7			●
能地橋	1968	8.10	3.50	RC	R2	Ⅱ a	Ⅱ	R7			●
道ノ下橋	1976	7.90	4.80	RC	R2	Ⅱ a	Ⅱ	R7			●
薬王寺橋	1935	10.70	10.50	RC	R2	Ⅱ a	Ⅱ	R7			●
千原橋	1964	8.00	7.00	RC	R2	Ⅱ c	Ⅱ	R7			●
中山橋	2010	13.00	6.20	PC	R2	Ⅱ c	Ⅱ	R7			●
松原橋	1965	8.60	4.60	RC	R2	Ⅱ a	Ⅱ	R7			●
平林橋	1975	7.10	4.90	RC	R2	Ⅱ a	Ⅱ	R7			●
辻ノ下橋	1978	11.20	3.80	PC	R2	Ⅱ b	Ⅱ	R7			●
中才橋	1978	11.20	4.80	PC	R2	Ⅱ a	Ⅱ	R7			●
コンモウ橋	1979	9.40	3.80	PC	R2	Ⅱ a	Ⅱ	R7			●
下岡橋	1978	8.80	3.50	RC	R2	Ⅱ b	Ⅱ	R7			●
主計大橋	1971	10.80	4.80	PC	R2	Ⅱ a	Ⅱ	R7			●
第1太田橋	1976	11.40	4.80	PC	R2	Ⅱ b	Ⅱ	R7			●
休石橋	1993	3.90	16.23	RC	R2	Ⅱ a	Ⅱ	R7			●
上地橋	1983	8.80	5.22	鋼+RC	R2	Ⅱ a	Ⅱ	R7			●
カゴネ橋	1964	8.40	3.78	RC	R2	Ⅱ b	Ⅱ	R7			●
湯船橋	1975	9.90	4.70	RC	R2	Ⅱ a	Ⅱ	R7			●
空山橋	1958	9.00	4.00	鋼	R2	Ⅱ b	Ⅱ	R7			●
2号作山橋	1980	8.00	1.50	鋼	R2	Ⅱ c	Ⅱ	R7			●
糸村橋	1972	11.48	5.60	鋼	R2	Ⅱ a	Ⅱ	R7			●
水手橋	1963	7.50	2.50	RC	R2	Ⅱ a	Ⅱ	R7			●
西ヶ谷橋	2006	8.00	4.20	PC	R2	Ⅱ a	Ⅱ	R7			●
向角橋	1969	13.50	3.80	PC	R2	Ⅱ b	Ⅱ	R7			●
天神橋	1997	13.50	8.75	PC	R2	Ⅱ a	Ⅱ	R7			●
芦谷橋	1996	7.80	6.40	RC	R2	Ⅱ a	Ⅱ	R7			●
円田橋	1975	10.50	3.40	鋼	R2	Ⅱ b	Ⅱ	R7			●
市谷橋	1974	13.00	4.00	鋼	R2	Ⅱ b	Ⅱ	R7			●
暇橋	1973	14.70	4.60	RC	R2	Ⅱ a	Ⅱ	R7			●
塩入橋	1994	15.05	2.80	木材	R2	Ⅱ c	Ⅱ	R7			●
松本橋	1992	82.40	9.75	PC	R2	Ⅱ a	Ⅱ	R7			●
大川橋	1993	45.00	5.20	PC	R2	Ⅱ a	Ⅱ	R7			●
ニツ家橋	1973	27.10	3.60	鋼	R2	Ⅱ a	Ⅱ	R7			●
万場向野橋	1990	21.70	8.20	PC	R2	Ⅱ a	Ⅱ	R7			●
大谷口2号橋	1974	16.70	6.80	鋼	R2	Ⅱ b	Ⅱ	R7			●
倉谷橋	1975	20.10	3.95	鋼	R2	Ⅱ b	Ⅱ	R7			●
道場大橋	2007	48.60	6.20	PC	R2	Ⅱ a	Ⅱ	R7			●
宮前橋	1975	20.50	4.20	鋼	R2	Ⅲ a	Ⅲ	R7			●
垣ノ田橋	1978	16.60	5.80	鋼	R2	Ⅱ a	Ⅱ	R7			●
栗栖野大橋	1984	20.30	4.52	鋼	R2	Ⅱ b	Ⅱ	R7			●
神鍋下川橋	1984	19.87	6.00	鋼	R2	Ⅱ a	Ⅱ	R7			●
宮向橋	1979	17.10	4.80	鋼	R2	Ⅱ b	Ⅱ	R7			●
万劫才ノ木橋	1988	21.30	7.60	鋼+PC	R2	Ⅱ b	Ⅱ	R7			●
大深橋	1975	36.20	4.80	鋼	R2	Ⅱ a	Ⅱ	R7			●
角良橋	1975	33.50	3.80	鋼	R2	Ⅱ b	Ⅱ	R7			●

主な橋梁補修事業(道路橋・横断歩道橋)

2025年度に実施予定の橋梁事業

橋梁名	①構造物の諸元				②直近点検結果 次回点検年度				④対策の着手・完了予定年度 設計及び対策の凡例【◆:設計 ○:修繕 ◎:更新 ×:撤去] 点検の凡例【●:一般、▲:跨線部・高速道路上等]		
	架設 年度	橋長	幅員	橋梁 形式	点検結果			次回 点検 年度	R7		
					年度	診断 区分 (市)	診断 区分 (国)		設計	対策	点 検
久斗橋	1988	31.70	2.31	RC	R2	Ⅱ a	Ⅱ	R7			●
矢野橋	1964	28.60	3.80	鋼	R2	Ⅱ a	Ⅱ	R7			●
水生橋	1978	45.20	5.80	鋼	R2	Ⅱ b	Ⅱ	R7			●
広井橋	1979	15.40	3.30	鋼	R2	Ⅱ a	Ⅱ	R7			●
中森橋	1979	29.45	3.80	鋼	R2	Ⅱ b	Ⅱ	R7			●
広井2号橋	1979	15.70	3.80	鋼	R2	Ⅱ a	Ⅱ	R7			●
向田橋	1975	20.20	4.05	鋼	R2	Ⅲ a	Ⅲ	R7			●
阿瀬川橋	1936	26.10	5.60	RC	R2	Ⅱ a	Ⅱ	R7			●
新橋	1979	15.80	3.30	鋼	R2	Ⅱ c	Ⅱ	R7			●
西気橋	1984	20.70	6.00	鋼	R2	Ⅱ b	Ⅱ	R7			●
鍛福橋	2007	27.60	6.20	PC	R2	Ⅱ a	Ⅱ	R7			●
久木橋	1993	17.50	4.20	鋼	R2	Ⅱ b	Ⅱ	R7			●
榎見橋	1965	21.14	4.20	PC	R2	Ⅱ b	Ⅱ	R7			●
上野橋(旧橋)	1964	70.65	4.30	RC	R3	Ⅱ c	Ⅱ	—	×		
伊木橋	1994	15.50	5.20	PC	R2	Ⅱ a	Ⅱ	R7			●
福住橋	1972	24.20	5.80	PC	R2	Ⅱ b	Ⅱ	R7			●
中村橋	2006	22.70	5.20	PC	R2	Ⅱ a	Ⅱ	R7			●
中学校橋	1998	19.50	9.50	PC	R2	Ⅱ a	Ⅱ	R7			●
室見台橋	1998	18.00	10.95	PC	R2	Ⅱ a	Ⅱ	R7			●
西ヶ谷橋	1997	19.60	6.20	PC	R2	Ⅱ a	Ⅱ	R7			●
小野6号橋	1996	28.00	7.70	PC	R2	Ⅱ a	Ⅱ	R7			●
ロク口橋	2024	15.00	4.00	鋼	R2	Ⅲ b	Ⅲ	R7			●
中ノ谷橋	1981	15.20	4.80	PC	R2	Ⅱ b	Ⅱ	R7			●
古川橋	1992	48.00	6.20	PC	R2	Ⅱ a	Ⅱ	R7			●
上台橋	1982	31.50	4.80	PC	R2	Ⅱ a	Ⅱ	R7			●
1号宮前橋	1992	20.46	4.70	鋼	R2	Ⅱ b	Ⅱ	R7			●
大野橋	2007	64.55	6.20	PC	R2	Ⅱ a	Ⅱ	R7			●
茶屋橋	1990	21.50	5.00	PC	R2	Ⅱ a	Ⅱ	R7			●
長通橋	1987	19.90	5.00	PC	R2	Ⅱ b	Ⅱ	R7			●
貝田橋	1981	25.00	5.00	鋼	R2	Ⅱ a	Ⅱ	R7			●
山彦橋	1985	33.20	7.00	PC	R2	Ⅱ b	Ⅱ	R7			●
野田橋	1975	33.68	3.80	PC	R2	Ⅱ a	Ⅱ	R7			●
南尾橋	1991	47.20	5.50	PC	R2	Ⅱ a	Ⅱ	R7			●
岡宮橋	1989	41.60	5.00	PC	R2	Ⅱ a	Ⅱ	R7			●
向山橋	1990	40.70	5.00	PC	R2	Ⅱ a	Ⅱ	R7			●
平地橋	2007	25.70	5.20	PC	R2	Ⅱ a	Ⅱ	R7			●
大橋	2007	24.10	6.20	PC	R2	Ⅱ a	Ⅱ	R7			●
後橋	1964	21.20	4.70	鋼	R2	Ⅱ a	Ⅱ	R7			●
正眼寺橋	1981	29.60	4.80	鋼	R2	Ⅱ a	Ⅱ	R7			●
滝谷橋	1997	21.90	5.60	PC	R2	Ⅱ a	Ⅱ	R7			●
金蔵寺橋	2000	20.30	6.20	PC	R2	Ⅱ a	Ⅱ	R7			●
カスラ橋	1983	16.50	4.80	鋼	R2	Ⅱ a	Ⅱ	R7			●
日向橋	1982	38.60	6.00	PC	R2	Ⅱ a	Ⅱ	R7			●
神田橋	1997	14.50	6.20	鋼	R2	Ⅱ a	Ⅱ	R7			●
田原橋	1982	21.00	4.80	鋼	R2	Ⅱ a	Ⅱ	R7			●
寿橋	1989	38.70	6.20	PC	R2	Ⅱ a	Ⅱ	R7			●
久保田橋	1990	37.70	6.00	PC	R2	Ⅱ a	Ⅱ	R7			●
佐田大橋	1988	25.20	5.00	鋼	R2	Ⅱ a	Ⅱ	R7			●
清水橋	1990	42.60	5.00	PC	R2	Ⅱ a	Ⅱ	R7			●
東里橋	1990	39.70	5.00	PC	R2	Ⅱ a	Ⅱ	R7			●
宮前橋	1993	16.00	4.20	鋼	R2	Ⅱ b	Ⅱ	R7			●
道場橋	1969	44.30	3.40	鋼+RC	R2	Ⅱ a	Ⅱ	R7			●
江原歩道橋	1981	122.60	2.70	鋼	R4	Ⅲ a	Ⅲ	R9	◆		
五荘大橋	1966	343.72	8.40	鋼	R4	Ⅲ a	Ⅲ	R9		○	

橋梁名	①構造物の諸元				②直近点検結果 次回点検年度				④対策の着手・完了予定年度 設計及び対策の凡例 [◆:設計 ○:修繕 ◎:更新 ×:撤去] 点検の凡例 [●:一般、▲:跨線部・高速道路上等]			
	架設 年度	橋長	幅員	橋梁 形式	点検結果			次回 点検 年度	R7			
					年度	診断 区分 (市)	診断 区分 (国)		設計	対 策	点 検	
下谷橋	1979	10.70	3.60	RC	R2	Ⅱb	Ⅱ	R7			●	